



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: MESSINA

Serial No.: 10/810929

Group No.:

Filed: 26 March 2004

Examiner:

For: COMPUTER-BASED SYSTEM AND COMPUTER PROGRAM
FOR INTERROGATING A USER AND GENERATING A RESULT
BASED UPON THE USER'S INTERROGATORY RESPONSES

DECLARATION OF PRIOR INVENTION
IN THE UNITED STATES UNDER 37 C.F.R. 1.131

The inventor of the subject matter of the above-identified patent application hereby makes this declaration prior to final rejection in order to establish completion of his invention in the United States prior to March 29, 2002, the effective date of US Published Application 2003/0198934, cited by the examiner.

I, Edmund Messina, inventor of the subject matter claimed and described in the above-identified patent application, declare as follows:

1. I reduced to practice the invention of at least claims 1, 2, 4, 8, 9, 10, 11, 13, 17, 18 and 19 of the above-identified patent application prior to March 29, 2002, which is a date prior to the effective date of US Published Application 2003/0198934 cited against the aforesaid claims. Evidence of such reduction to practice is set forth below.

2. Independent claims 1 and 10 recite a computer program (claim 1) or computer-based system (claim 10) for interrogating a user and generating a result, for example a report, based upon the user's interrogatory answers,

comprising “a computer-readable memory device encoded with a database comprising a plurality of predefined questions and associated, predefined answers, wherein the plurality of questions and answers are organized in a predefined relationship between a pre-designated starting question and one or more ending questions to thereby define a plurality of possible logical interrogatory paths through the database, and wherein further the selection of any one of the plurality of possible logical paths is user-answer-dependent.”

Reproduced below are several screenshots (1-4), all of which are shown as they existed prior to March 29, 2002, depicting from the invention as it then existed a series of graphical user interface screens presenting questions for the user to answer (in the example shown, as part of a medical history interrogation). Each of the screenshots below evidences that the invention at the time (i.e., prior to March 29, 2002) was operative to present a plurality of predefined questions (e.g., “For what reason are you taking this history?,” “What types of headache controlling meds have you ever used?,” “Which of the following over-the-counter meds have you been using?,” and “Which prescription headache medications have you been using?”) and associated, predefined answers (shown in connection with the “yes” or “no” answer boxes in each screenshot; e.g., in the first screenshot below, “annual physical,” “general neurology,” “headache clinic”). Implicitly, the presentation of these screenshots as part of the invention’s operation evidences the existence of a computer-readable memory device encoded with a database comprising the plurality of predefined questions and associated, predefined answers. That the invention further comprehended, at the

time in question (i.e., prior to March 29, 2002), organization of the questions and answers in a predefined relationship to define a plurality of possible logical interrogatory paths the selection of which is user-answer-dependent is evidenced by the last three screenshots (2-4). As shown, the second screenshot questions the user on his/her use, if any, of headache controlling medications. The possible answers include "over the counter analgesics (pain killers)" and "prescription pain killers." Only if the user selects "yes" in relation to the answer "over the counter analgesics (pain killers)" is the user subsequently presented with the question shown in the third screenshot ("Which of the following over-the-counter meds have you been using?"), and only if the user selects "yes" in relation to the answer "prescription pain killers" is the user subsequently presented with the question shown in the fourth screenshot ("Which prescription headache medications have you been using?"). Accordingly, it will be appreciated that in the exemplars shown below the invention was operative, at the time in question (i.e., prior to March 29, 2002), to define multiple, user-answer-dependent interrogatory paths; namely, a first interrogatory path in which the user is presented with neither the third or fourth screenshots if "no" is selected in relation to the answers "over the counter analgesics (pain killers)" and "prescription pain killers," a second interrogatory path in which the user is presented only with the third screenshot if he/she selected "yes" in relation to the answer "over the counter analgesics (pain killers)" and "no" in relation to the answer "prescription pain killers," and a third interrogatory path in which the user is presented only with the fourth screenshot if he/she selected "no" in relation to the answer "over

the counter analgesics (pain killers)” and “yes” in relation to the answer “prescription pain killers.”

New Expert

File

Previous Next Experts Questions Reports Pause Resume Quit

For what reason are you taking this history?

fraCheckBoxes

	yes	no
annual physical	<input type="checkbox"/>	<input type="checkbox"/>
general neurology	<input type="checkbox"/>	<input type="checkbox"/>
headache clinic	<input type="checkbox"/>	<input type="checkbox"/>

SCREENSHOT 1

New Expert

File

Previous Next Experts Questions Reports Pause Resume Quit

Show Full Path

Which of the following over-the-counter meds have you been using?

fraCheckBoxes

	Yes	No
Acifed	<input type="checkbox"/>	<input type="checkbox"/>
Advil	<input type="checkbox"/>	<input type="checkbox"/>
Advil Cold/Sinus	<input type="checkbox"/>	<input type="checkbox"/>
Aleve	<input type="checkbox"/>	<input type="checkbox"/>
Anacin	<input type="checkbox"/>	<input type="checkbox"/>
Ascliptin	<input type="checkbox"/>	<input type="checkbox"/>
Aspirin	<input type="checkbox"/>	<input type="checkbox"/>
Butterin	<input type="checkbox"/>	<input type="checkbox"/>
Ecoirin	<input type="checkbox"/>	<input type="checkbox"/>
Excedrin products	<input type="checkbox"/>	<input type="checkbox"/>
Ibuprofen/Motrin	<input type="checkbox"/>	<input type="checkbox"/>
Ketoprofen	<input type="checkbox"/>	<input type="checkbox"/>
Tylenol (acetaminophen) containing products	<input type="checkbox"/>	<input type="checkbox"/>
Venquish	<input type="checkbox"/>	<input type="checkbox"/>
herbs and supplements to treat headaches	<input type="checkbox"/>	<input type="checkbox"/>

SCREENSHOT 3

New Expert

File

Previous Next Experts Questions Reports Pause Resume Quit

Show Full Path

Which prescription headache medications have you been using?

fraCheckBoxes

	Yes	No
Tylenol with codeine	<input type="checkbox"/>	<input type="checkbox"/>
Vicodin/Lorab	<input type="checkbox"/>	<input type="checkbox"/>
Percocet/Percodan	<input type="checkbox"/>	<input type="checkbox"/>
Darvocet/Darvon	<input type="checkbox"/>	<input type="checkbox"/>
Ultram/Ultracet	<input type="checkbox"/>	<input type="checkbox"/>
Fiorinal/Fioricet	<input type="checkbox"/>	<input type="checkbox"/>
Miltin	<input type="checkbox"/>	<input type="checkbox"/>
Duragesic patches	<input type="checkbox"/>	<input type="checkbox"/>
Stadol nasal spray	<input type="checkbox"/>	<input type="checkbox"/>
other strong pain killers	<input type="checkbox"/>	<input type="checkbox"/>

SCREENSHOT 4

3. In further evidence of the reduction to practice, prior to March 29, 2002, of the invention of claims 1 and 10, there is attached a screenshot (5), shown as it existed prior to March 29, 2002, depicting from the invention as it then existed a database defining the plurality of possible logical interrogatory paths available based on the users' responses. More specifically, the database comprises a table arranged like a matrix wherein the rows thereof comprise unique processes the type and processing of which is determined by information in the columns. The type of each process is specifically determined by the value in the column labeled "QuesType." The values in the columns labeled "Choice"

(e.g., "Choice1," "Choice 2," "Choice 3," etc.) and in the column labeled "NextQuestion" determine the sequence of processes -- in other words, the interrogatory path. The second column (labeled "FM_ID") establishes a unique identifier for each row, while the twelfth column (labeled "NextQuestion") sets forth the logical next question if no branching in the interrogatory path is otherwise dictated. Columns thirteen through eighteen (labeled "Choice1" through "Choice6") contain branching to customize the logical interrogatory path based on a user's responses. These "Choice" columns correspond to the defined fields in columns 5 through 10 (labeled "Answer1" through "Answer6"). If a user chooses the response in "Answer2," for instance, the "FM_ID" in "Choice2" is the next process. If, on the other hand, the "Choice2" field is empty, or contains a zero, the "FM_ID" in the "NextQuestion" field is processed.

Relative to the screenshots 2-4 and the associated description thereof provided in Paragraph 2, above, and with continuing reference to screenshot 5, the first process presented to the user is "FM_ID 5," which is a "QuestionList" designating "ListQuestionItems" about the types of headache controlling medications the user may take (screenshot 2). Since no values appear in the "Choice" columns for this process, the next logical process -- i.e., value 12 in the "NextQuestion" column-- is presented to the user. The "NextQuestion" value 12 processes "FM_ID 12," which is an interrogatory ("QuestType 5"). The related record in an associated Interrogation Table designates it as an "invisible" question referencing the answer of the first question from the prior list (screenshot 2). If the user chose the first answer ("Yes"), then "Choice1" (value

of 41) is processed next. If the user chose the second answer ("No") the value in "Choice2" is processed next. Since the value in "Choice2" equals zero, no branching occurs and the next question value is processed next (value 13 in the example).

In the particular example of screenshot 2, where the user answers "Yes" to the first question ("over the counter analgesics (pain killers)"), this causes record value 41 to process next. "FM_ID 41" is a list question process inquiring about the types of over-the-counter medications the user has used (screenshot 3, above). Following the "ListQuestion" process ("FM_ID 41") is the value in the "NextQuestion" column of this record where FM_ID = 41. The "NextQuestion" value of 97 is processed next, referencing the answer to the question "Advil (Yes/No)" (screenshot 3). If the user answers "Yes" to using Advil, the value in "Choice1" is processed next ("FM_ID 409"). However, if the user answers "No" ("Answer2"), the next logical question ("NextQuestion = 98") is processed next as the "Answer2" value contains a zero.

The logical interrogatory path is thus determined by the user's responses and the values in this main table (screenshot 5). Processing in this fashion according to the invention as it existed prior to March 29, 2002, continues until a value of -1 is encountered as the next process. This value signifies the end of the interrogation process.

4. Each of claims 1 and 10 further recite "a computer-readable memory device encoded with a user interface for displaying questions from the database and accepting answers from a user, and a computer-readable memory

device encoded with an engine operative to present questions from the database to the user interface, and to navigate one of the plurality of possible logical interrogatory paths through the database as dictated by a user's answers to the questions presented at the user interface.”

The above-reproduced screenshots (1-4), all of which are shown as they existed prior to March 29, 2002, evidence that the invention at the time in question comprised an interactive, graphical user interface presenting in series questions the answers to which the user could select (for instance by checking boxes, as shown) from among a number of predetermined responses. Implicitly, and with consideration being given to the explanation of Paragraphs 2 and 3, above, respecting the invention's comprehension of multiple logical interrogatory paths, the presentation of the foregoing screenshots (1-4) as part of the invention's operation evidences that the software engine was operative to present questions from the database to the user interface, and to navigate one of the plurality of possible logical interrogatory paths through the database as dictated by a user's answers to the questions presented at the user interface.

5. Independent claim 19 recites “[a] method for interrogating a user and generating a result, for example a report,” comprising steps corresponding to the limitations of claims 1 and 10; namely: interrogating a user with predefined questions from a computer database comprising the predefined questions and associated, predefined answers, wherein the questions and answers are organized in a predefined relationship between a pre-designated starting question and one or more ending questions to thereby define a plurality of

possible logical interrogatory paths through the computer database, the selection of any one of the plurality of possible logical paths being user-answer-dependent, and wherein further the interrogation step is facilitated by an user interface operative to display the predefined questions from the at least one computer database, and to accept answers from a user provided in response to the displayed questions; and displaying a result at the user interface following the interrogation step, wherein the result is based upon a user's answers to the displayed questions. Evidence of the actual reduction to practice of this methodology prior to March 29, 2002, is set forth hereinabove in the form of the evidence provided above (see Paragraphs 2 and 3 and screenshots 1-5) in demonstration of the actual reduction to practice of the computer software and system for practicing that methodology, as recited in independent claims 1 and 10.

6. Claims 2 and 11 recite a computer database further comprising "content and rules for generating at least one report based upon a user's answers to questions presented at the user interface, the content and rules having a predefined relationship with the plurality of predefined questions and answers of the database so that the content of the at least one report is dependent upon a user's answers to questions from the database, and wherein further the engine is operative to generate from the reporting database at least one report using the content and rules from the database."


Reproduced below are several screenshots (6-12), all of which are shown as they existed prior to March 29, 2002, depicting operation of the invention of

claims 2 and 11 and, more particularly, the generation of a report ("Epworth sleepiness scale report"), shown in screenshot 7 below, from a user's answers (checked boxes) to questions presented at the user interface (e.g., "sitting and reading," "watching TV," "sitting inactive in a public place (like a theater or meeting)," "as a passenger in a car for an hour without a break," etc.), shown in screenshot 6 reproduced below.

The screenshot shows a window titled "New Expert" with a menu bar containing "File" and a toolbar with icons for "Previous", "Next", "Experts", "Questions", "Reports", "Pause", "Resume", and "Quit". Below the toolbar is a section labeled "fraCheckBoxes" containing a table with 8 rows and 5 columns. The columns are labeled "no chance", "slight chance", "moderate chance", and "high chance". Each row contains a description of an activity and a checkbox in the "no chance" column.

	no chance	slight chance	moderate chance	high chance
sitting and reading	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
watching TV	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
sitting inactive in a public place (like a theater or meeting)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
as a passenger in a car for an hour without a break	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
lying down to rest in the afternoon when circumstances permit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
sitting and talking to someone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
sitting quietly after a lunch without alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
in a car, when stopped for a few minutes in traffic	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SCREENSHOT 6



SCREENSHOT 7

Though the employment in generation of the foregoing report of content and rules as claimed is implicit (the report of screenshot two self-evidently comprises content (here, in the form of lines of text) presented in a specified form -- i.e., according to rules (here, specifying, based upon the user's interrogatory answers, what content is presented and how)), further evidence of reduction to practice of the invention of claims 2 and 11 prior to March 29, 2002, is provided in the below-reproduced screenshots (8-11), all of which are shown as they existed prior to March 29, 2002. The following screenshots more particularly show the presence of content and rules for generation of a report based upon a user's interrogatory answers. As shown in the first screenshot below, the invention as it then existed included the "Report Writer" portion with a "phrase

editor" function setting forth content (e.g., "First Part of Phrase") and rules (e.g., "If SOME of the Conditions are met," "Insert Responses," "Connector," etc.) for a report generated from a user's interrogatory responses (in the depicted example, as generated from a medical history interrogation).

FloBase Report Writer - Phrase Editor

Edit Phrase

Phrase Editor NONE ONE **SOME** ALL

If SOME of the Conditions are met

First Part of Phrase:

There is a positive family hx of

Insert Responses: ☒ Connector: ☐ And ☐ <Comma> ☐ Or ☐ <Blank Space>

Copy Title
Copy from ONE

Second Part of Phrase:

Save Cancel

SCREENSHOT 8

Similarly, screenshot 9 (below) depicts a "Response Editor" portion of the "Report Writer" portion of the invention as it then existed, and likewise demonstrates content (e.g., "First Part of Phrase") and rules (e.g., "Insert Title to 1st Part of Phrase," "Insert Title to 2nd Part of Phrase") for a report generated from a user's

interrogatory responses (in the depicted example, as generated from a medical history interrogation soliciting the user's age).

FloBase Report Writer - Response Editor

- Edit Phrase

First Part of Phrase: Insert Title to 1st Part of Phrase

The patient is a

Second Part of Phrase: Insert Title to 2nd Part of Phrase

year old.

Save Close

SCREENSHOT 9

The remaining three screenshots (10-12) depict a "Question Response" portion of the "Report Writer" of the invention as it then existed (i.e., prior to March 29, 2002) and also demonstrates content (e.g., "Fragment to Use") and rules (e.g., "Use Question Wording as Fragment") for a report generated from a user's interrogatory responses (in the depicted example, as generated from interrogation about the user's blood pressure).

FluBase Report Writer - Question Response

Select Question Response

☐ Use Question Wording as Fragment

which is true about your blood pressure?

☒ normal blood pressure

☐ controlled on diet and exercise alone

☐ controlled on meds alone

☐ controlled on meds, diet and exercise

☐ not well controlled despite treatment

☐ has been high in the past, not currently being treated or monitored

Fragment to Use:

normal blood pressure

OK Cancel

SCREENSHOT 10

FluBase Report Writer - Question Response

Select Question Response

☐ Use Question Wording as Fragment

which is true about your blood pressure?

☐ normal blood pressure

☐ controlled on diet and exercise alone

☒ controlled on meds alone

☐ controlled on meds, diet and exercise

☐ not well controlled despite treatment


☐ has been high in the past, not currently being treated or monitored

Fragment to Use:

controlled on meds alone

OK Cancel

SCREENSHOT 11




SCREENSHOT 12

7. The invention of dependent claims 4 and 13 both recite that “the computer-readable memory device encoded with the database, the computer-readable memory device encoded with the user interface, and the computer-readable memory device encoded with the engine all comprise the same computer-readable memory device.” The screenshots 1-12 reproduced above in connection with Paragraphs 2, 3 and 5 show the invention, identified as the “FloBase” expert system software, as it operated on a single desktop PC prior to March 29, 2002.

8. Dependent claims 8 and 17 both recite that “the database further comprises one or more URL addresses, wherein the engine is operative to display the URL addresses at the user interface, and wherein further the one or more URL addresses are associated with the predefined questions and answers of the database so that the display of URL addresses at the user interface is dependent upon a user’s answers to questions from the database.”

Reproduced below is a screenshot (14), shown as it appeared prior to March 29, 2002, depicting the “FloBase” expert system software as it operated via an internet connection prior to March 29, 2002 (as shown, the “FloBase” name by which the invention was then identified appears prominently). The below-reproduced screenshot specifically depicts the presentation to a user of a web site (in particular, for FloBase Medical Communications) as part of a report generated for a user in response to the user’s interrogatory answers.



SCREENSHOT 14

Implicitly, presentation of this website to a user via the interface evidences that the URL therefor comprised part of the database.

Additionally, screenshot 15 (attached), reproduced as it appeared prior to March 29, 2002, exemplifies a “URL Table” from database of the invention as it then existed. In this table, the “A_Number” value corresponds to an “A_Number”


value in the "Main Table," described previously, which will be processed if a URL record ("QuesType 13") is encountered in the Main Table. If this occurs, the website listed in the "Address" column will be displayed. The process to follow thereafter is determined by the "FM_ID" value in the "NextQuestion" column of the record from the "MainTable."

9. The invention of dependent claims 9 and 18 both recite that "the engine is operative to display a plurality of the URL addresses at the user interface in a sequence the order of which is defined by a user's answers to questions from the database." Referring to the screenshots 14 and 15 from Paragraph 9, above, and further in consideration of the explanation of the operation of the invention as provided in that paragraph and elsewhere herein, it is evident that the invention was operative prior to March 29, 2002, to display multiple URL addresses at the user interface in an order defined by a user's answers to questions from the database. More particularly, screenshot 15, which comprises the URL Table portion of the database as it existed prior to March 29, 2002, shows the presence of multiple "A_Number" values corresponds to "A_Number" values in the "Main Table," described previously, each of which is processed if one or more URL records ("QuesType 13") are encountered in the "Main Table," leading to the display of one or more of the website listed in the "Address" column.

10. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true. I further declare that the statements herein are made with

the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001, Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of my above-identified patent application or any patent issued thereon.

Signed,



Edmund Messina

Country of Citizenship: USA

Residence: Haslett, Michigan

Post Office Address: 1206 Woodwind Trail,
Haslett, MI 48840

Dated: 6 June, 2008

A_Number	FM_ID	QuestType	ProcessName	Answer1	Answer	Answer	Answer	Answer	QuestText	NextQuestID	Choice1	Choice2	Choice3	Choice4	Choice5	Choice6
DocM100012281C	5	7	What types of headache controlling n						12							
DocM100012281C	12	5	inv oic	yes	no				inv oic	41	0					
DocM100012281C	13	5	inv prescript	yes	no				inv prescript	47	0					
DocM100012281C	14	5	inv triptans	yes	no				inv triptans	54	0					
DocM100012281C	15	5	inv ergot	yes	no				inv ergot	62	0					
DocM100012281C	26	5	inv-anti-inflammatories, arthritis medi	yes	no				- anti-inflam	95	0					
DocM100012281C	27	5	inv-sinus medications	yes	no				- sinus medic	96	0					
DocM100012281C	41	7	Which of the following over-the-count							97						
DocM100012281C	47	7	Which prescription headache medic							77						
DocM100012281C	54	12	set triptan user							55						
DocM100012281C	55	7	Which of these triptans have you tried							84						
DocM100012281C	62	7	Which ergotamine related meds hav							63						
DocM100012281C	63	12	set ergot user							26						
DocM100012281C	68	5	inv-Aleve	Yes	No				- Motrin, ibup	275	0					
DocM100012281C	69	5	inv-Anacin-1	Yes	No				- Anacin, Bu	276	0					
DocM100012281C	70	5	inv-Ascriptin	Yes	No				- Ascriptin	277	0					
DocM100012281C	77	5	inv-Tylenol with codeine	Yes	No				- Tylenol with	289	0					
DocM100012281C	78	5	inv-Vicodin/Lotab	Yes	No				- Vicodin	290	0					
DocM100012281C	79	5	inv-Percocet/Percodan	Yes	No				- Percocet	291	0					
DocM100012281C	80	5	inv-Darvocet/Darvon	Yes	No				- Darvocet/D	292	0					
DocM100012281C	81	5	inv-Ultram/Ultracet	Yes	No				- Ultram	293	0					
DocM100012281C	84	5	inv-limitrex injection	in use, effc in use, i	past, effc past, ii not toler	never			- limitrex injec	296	298	301	302	304	0	
DocM100012281C	85	5	inv-limitrex tabs	in use, effc in use, i	past, effc past, ii not toler	never			- limitrex tabs	305	307	311	312	315	0	
DocM100012281C	86	5	inv-limitrex nasal spray	in use, effc in use, i	past, effc past, ii not toler	never			- limitrex nasal	316	318	320	321	323	0	
DocM100012281C	87	5	inv-Maxalt tabs	in use, effc in use, i	past, effc past, ii not toler	never			- Maxalt tabs	324	326	330	331	334	0	
DocM100012281C	88	5	inv-Maxalt ML T	in use, effc in use, i	past, effc past, ii not toler	never			- Maxalt ML T	335	337	341	342	345	0	
DocM100012281C	95	12	set simple analgic user							27						
DocM100012281C	96	7	Which of these sinus preparations ar							-1						
DocM100012281C	97	5	inv-Advil	Yes	No				- Advil	409	0					
DocM100012281C	98	5	inv-Advil Cold/Sinus	Yes	No				- Advil Cold/	410	0					
DocM100012281C	105	5	inv-Aspirin-1	Yes	No				- Aspirin	411	0					
DocM100012281C	106	5	inv-Bufferin	Yes	No				- Bufferin	412	0					
DocM100012281C	107	5	inv-Ecotrin	Yes	No				- Ecotrin	413	0					
DocM100012281C	108	5	inv-Excedrin products	Yes	No				- Excedrin pr	414	0					
DocM100012281C	109	5	inv-Ibuprofen/Motrin	Yes	No				- Ibuprofen/M	415	0					

SCREENSHOT 5

URL Table

A_Number	Address	SoundFile	ReadOnly
DocM100011681201	http://www.headaches.org/consumer/generalinfo/tensteps.html	nhf 10 steps.wav	-1
DocM100011681419	http://nccam.nih.gov/	alternative.wav	-1
DocM100011681587	http://www.headachecentral.net/home/environ.asp	triggers.wav	0
DocM100011681589	http://www.headachecentral.net/home/foods.asp	eat.wav	0
DocM100011681591	http://www.headachecentral.net/home/medtug.asp	take.wav	0
DocM100011681593	http://www.headachecentral.net/home/life.asp	lifestyle.wav	0
DocM100011681595	http://www.headachecentral.net/home/hormon.asp	hormone.wav	0
DocM100011681597	http://www.headachecentral.net/home/weekend.asp	letdown.wav	0
DocM100011681599	http://www.headachecentral.net/home/typclins.asp		0
DocM100011681601	http://www.headachecentral.net/home/typclins.asp	alt-clinic-diff.wav	0
DocM100011681603	http://www.headachecentral.net/home/choclin.asp	ha clinic.wav	0
DocM100011681605	http://www.headachecentral.net/home/typclins.asp	alt-clinic-diff.wav	0
DocM100011681607	http://www.headachecentral.net/home/consum.asp	consum.wav	0
DocM100011681609	http://www.headachecentral.net/home/expect.asp	expect.wav	0
DocM100011681644	http://www.headachecentral.net/home/impact.asp	impact.wav	0
DocM100011681647	http://www.headachecentral.net/home/rights.asp	rights.wav	0
*			0

Record: 1 of 16

Datasheet View

NUM

SCREENSHOT 15